KITZ

600WOG/150WSP Full Port Two-piece Brass Ball Valves

Super/



KITZ CORPORATION




Fig.

SZA (for BS21 threaded ends)

AKSZA [Code#58]

(for NPT threaded ends - ASME B 1.20.1)





[Code#59]

(for solder joint ends - ASME B 16.18)



Features

- All sizes rated 600 WOG / 150 WSP (400WOG for 4")
- Conforms to specification of MSS-SP-110 (AKSZA / CSZA)
- Maintenance Free, Double "O"-ring stem seal and PTFE seats
- Two-piece construction with a chrome plated brass ball
- Blowout proof stem

- Quick quarter-turn for easy operation
- Three types of end connection design
 - ·BS21 threaded end connection
 - NPT threaded end connection
 - ·Solder joint end connection

Approvals

●**AKSZA** (1/4" through 2")



CSA: 1/2 psig at the appliance

CSA: 5 psig from the appliance to the meter CSA: 125 psig from the meter to the street

●AKSZA / CSZA (1/4" through 2")





UL / FM: for fire protection

Note: CSA-Canadian Standards Association

Consolidation of the American Gas Association (AGA) and the Canadian Gas Association (CGA) **UL** - Underwriters Laboratories

FM - Factory Mutual

Application

Water, Oil, Gas, and Steam

Maximum Working Pressure

1114	Working	Pressure No	n-Shock		Test Pressure				
Unit	Saturated Steam	Cold Wate	r, Oil, Gas	Shell (Hy	drostatic)	Seat (Air)			
	Jaiuraleu Jiearri	¹/₄"~3"	4"	1/4"~3"	4"	Seat (All)			
psi	150	600	400	900	600	80			
MPa	0.98	4.12	2.75	6.18	4.12	0.59			
Bar	9.8	9.8 41.2 10 42		61.8	41.2	5.9			
kgf/cm ²	10			63	42	6			

Note: For more details, please refer to P-T rating chart.

Effecttive Length of Thread unit: mm (inch) 1/4" 1/2" 3/4 11/4" 11/2 8.5 (0.335) 9 (0.354) 12 (0.472) 13 (0.512) 15.5 (0.610) 16.5 (0.650) 16.5 (0.650)

ZA/AKZA	7.5 (0.295)	8 (0.315)	10 (0.394)	11 (0.433)
Size	2"	21/2"	3"	4"
Super Z	19.5 (0.768)	22.0 (0.866)	25.0 (0.984)	30.0 (1.181)
ZA/AKZA	16.5 (0.650)	_	_	

P-T Rating (MPa) (psi) 600 500 400 4" only 300 200 150 100 185 200(℃) 366 392(°F) 200 Temperature

★Advisory Note


12 (0.472)

· Please be advised that applications in the shaded zone will reduce the service life of the valve.

13 (0.512)

· The maximum working pressure and temperature of solder jointed valves are limited by the properties of solder and tube materials. Information on typical solder materials are provided on the back cover of this catalog.

Construction and Materials



* Illustration shows threaded ends design up to 2".

No.	Parts	Q' TY	Materials (ASTM)
0	Body	1	Forged Brass (B283 No. C37700)/Cast Bronze (B584 No. C84400) ★1
2	Body Cap	1	Forged Brass (B283 No. C37700)/Cast Bronze (B584 No. C84400) ★1
3	Stem	1	Brass Rod (B16)★2
4	Ball	1	Forged Brass (B283 No. C37700)*3/Cast Brass *3*4
9	Handle	1	Carbon Steel *4/Ductile Iron *5
10	Handle Nut	1	Carbon Steel
30	Ball Seat	2	PTFE
45	O-ring	2	FPM★6
47	Thrust Washer	1	PBT*7/PTFE*8

- ★1 21/2" through 4"
- ★2 Ni plating
- ★3 Cr plating ★4 Plastic covering
- ★5 3" and 4"
- ★6 Fluorocarbon Elastomer ★7 Polybutylene Terephthalate
- ★8 21/2" and up



Dimensions and Cv Value

Threaded Ends Design


: BS21 thread SZA

AKSZA: NPT thread 🚱 🗓 👀



Fig.






Solder Joint Ends Design

CSZA : [Code#59] : Solder joint 🕕 💬





Nominal size		d	H	Н	ı	D1		L	S	S1	Cv Value	Nominal size		d	ı	+	С)1		L	Cv Value
Size	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	Value	Size	mm	inch	mm	inch	mm	inch	mm	inch	Value
1/4	10	0.39	37	1.46	70	2.76	42	1.65	20	0.79	4.2	-	_	_	_	-	_	-	-	-	-
3/8	10	0.39	37	1.46	70	2.76	42	1.65	22	0.87	7.6	3/8	10	0.39	37	1.46	70	2.76	42	1.65	7.6
1/2	15	0.59	40	1.57	80	3.15	53	2.08	26	1.02	20.0	1/2	15	0.59	40	1.57	80	3.15	53	2.08	20.0
3/4	20	0.79	43	1.69	80	3.15	60	2.36	32	1.26	29.0	3/4	20	0.79	43	1.69	80	3.15	60	2.36	29.0
1	25	0.98	49	1.97	110	4.33	72	2.83	39	1.54	40.0	1	25	0.98	50	1.97	110	4.33	72	2.83	40.0
11/4	32	1.26	55	2.16	110	4.33	84	3.31	48	1.89	85.0	11/4	32	1.26	55	2.16	110	4.33	84	3.31	85.0
11/2	40	1.57	64	2.52	150	5.90	92	3.62	55	2.17	145.0	11/2	40	1.57	64	2.52	150	5.90	92	3.62	145.0
2	50	1.97	72	2.83	150	5.90	110	4.33	68	2.68	210.0	2	50	1.97	72	2.83	150	5.90	110	4.33	210.0
21/2	65	2.56	101	3.98	200	7.87	138	5.43	84	3.31	405.0	21/2	65	2.56	101	3.98	200	7.87	164	6.45	405.0
3	76	2.99	112	4.42	300	11.81	167	6.57	99	3.90	615.0	3	76	2.99	112	4.42	300	11.81	187	7.38	615.0
4	100	3.94	131	5.15	300	11.81	193	7.60	125	4.92	1150.0										

Information for a Sound Solder Joint

1. Solders

Recommended:

Soft solders having a maximum melting point of 299°C (570°F).

E.G.: 95-5 tin-antimony = 238° C (460 °F) 96-4 tin-silver = 221° C (430 °F)



Don't use a hard solder with melting point of 449°C (840°F) or higher, because resultant crack on the valve surface may cause fluid leakage. Also, don't use a solder of 50-50 tin-lead rating, which is hazardous to human health.

2. Copper Tubes

Prepare copper tubes conforming to ASTM B 88 "Seamless Copper Water Tubes"

3. P-T Rating of Solder Jointed Valves

The maximum service pressure and temperature of solder jointed valves are limited by the properties of solder and tube materials. Information on typical solder materials are provided below:

	Max.						
Solders	temp	Size 1/	∕4" ~1 "	Size 1 ¹	⁄4" ~ 2"	Size 21	⁄2"~3"
	°C(°F)	MPa	psi	MPa	psi	MPa	psi
95-5 tin-antimony	38(100)	3.45	500	2.76	400	2.07	300
(H95 Sb-5A)	66(150)	2.76	400	2.41	350	1.90	275
96-4 tin-silver	93(200)	2.07	300	1.72	250	1.38	200
(H96 Ag-3.5A)	121 (250)	1.38	200	1.21	175	1.03	150

CAUTION

- To determine the maximum working pressure of solder jointed valves, apply those of valve themselves or employed solder materials, whichever is lower.
- Copper tubes should not be used for steam service.
- Don't exceed a service velocity greater than 1.8m/sec (6ft/sec), to prevent erosion of copper tube. Erosion results in a considerable damage partially to the surface of metal, due to the fluid corrosion accelerated by mechanical stress of high fluid velocity.

CAUTION

- Don't use valves for super-heated steam service. Refer to the maximum working pressure shown in the pressure-temperature rating.
- Don't use valves with intermediate opening positions. Pressurizing partly open valves will cause seat deformation, and internal fluid leakage.
- Don't apply any external force counterclockwise to the valve cap. It may affect the assembly of valve body to cap, and cause external fluid leakage.
- Don't apply an excessive force when threading pipes into valve bores. It will cause seat deformation, and operational difficulty. Adequate threading torques are given below:

Valve Size	1/4"~1/2"	3/4"	1"	11/4"	11/2"	2"	21/2"	3"~4"
Threading Torque	20~	39~	49~	59~	69~	78~	108~	127~
(N·m)	29	49	59	69	78	88	118	137

CAUTION

Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog.

For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable.

While this catalog has been compiled with the utmost care, we assume no responsibility for errors, impropriety or inadequacy. Any information provided in this catalog is subject to from-time-to-time change without notice for error rectification, product discontinuation, design modification, new product introduction or any other cause that KITZ Corporation considers necessary. This edition cancels all previous issues.

■ Distributed by

ISO 9001 certified since 1989

KITZ CORPORATION

1-10-1,Nakase, Mihama-ku, Chiba 261-8577, Japan International Sales Dept. Phone:81-43-299-1730, 1732 and 1733 Fax:81-43-299-0121

Printed in Japan 0603 ITP